

3E Company America's leader in hazardous materials compliance services

Phone (800) 451-8346

Manufacturer Memorandum Sheet

Date

29-Jul-97

TO:

MSDS - Requester

FROM:

KS - 3E Company

RE:

The MSDS you have requested

Manufacturer: Pool Master inc.

Product Name: Bromine/Chlorine Test Kit

Mfg Contact Name: Brenda

Mfg Phone #: (916) 567-9800

Per the manufacturer the MSDS(s) listed below cover the above product.

Poolmaster Solution #1/Poolmaster OTO Poolmaster Phenol Red/Poolmaster Solution #2

POOLMASTER, INC.



MAILING ADDRESS P.O. BOX 340308, SACRAMENTO, CA 95834-0308

Local (916) 567-9800 Toll Free: (800) 854-1776

PHONE & FAX NUMBERS: New Office & Warehouse: 770 W. DEL PASO ROAD SACRAMENTO. CA 95834-1117

FAX: 916-567-9880

MATERIAL SAFETY DATA SHEET

information on this term is furnished solely for the purpose of compile dissemination of all or any part of this information for any ather purp	pour 1107 (1021 111			
MANUFACTURER'S NAME POOLMASTER, INC.	SECT	FION I EMERGENCY TELEPHONE 916-567-9800	EMERGENCY TELEPHONE NO. 916567-9800	
TRADE NAME AND SYNONYMS Poolmaster Solution #1 Poolmaster OTO (Orthotolidne)				
CHEMICAL NAME AND SYNONYMS O-Tolidine Dihydrochloride (3, 3'- CHEMICAL FAMILY	Dimethyl	-(1,1'-Biphenyl)-4,4'-diamine Di FORMULA (-C6H3-4-NH2-3-CH3) ₂ : 2HCI	ihydrochlorid	
Organic indicator				
		DOUS INGREDIENTS		
COMPONENT	*	HAZARD DATA		
O-Talidine Dihydrochloride Hydrochloric Acid	<0.2	DANGER-Suspected carcino	ogen	
SFC:	TION III - F	PHYSICAL DATA		
BOILING POINT (°F.)	212	Specific Gravity (H ₂ 0=1)	1.0	
VAPOR PRESSURE (mm Hg.)	NA			
VAPOR DENSITY (AIR*1)	NA			
SOLUBILITY IN WATER	Complete			
APPEARANCE AND ODOR Clear, odorless, w	vater-like	e solution.		
SECTION IV - F	IRE AND E	XPLOSION HAZARD DATA		
FLASH POINT (Method used) NA - Aqueous so?	ution	FLAMMABLE LIMITS NA		
SPECIAL FIRE FIGHTING PROCEDURES				
NA NA				
Unusual fire and explosion Hazards				
None				
	N V - HEAL	TH HAZARD DATA		
THRESHOLD LIMIT VALUE Not established				
TOXICITY Suspected carcinogen. Toxici	ity level	s not established.		

EFFECTS OF OVER EXP					. 6.5 3.6 3.5-1.5		
GENERAL - Sus	pected carcino	gen.	INHALATION	: May be na	rmful if inhaled. absorbed through skin.		
Eles: Pointi	on may cause e	eye bur	ns. Skin:	: narmrur ri	absorbed through skin.		
EMERGENCY AND FIRS							
INGESTION: G	ive water. Do	not i	nduce vomi	ting. Seek	medical attention.		
EYES: Immedi	ately flush wi	th ple	nty of wat	er and get m	edical attention. contaminated clothing.		
SKIN: Immedi	ately flush wi						
		SECT		ACTIVITY DATA	<u> </u>		
STABILITY	UNSTABLE		Strong oxidizers				
1	STABLE	xx					
INCOMPATIBILITY	<u> </u>		<u> </u>				
Strong ox	idizers						
HAZARDOUS DECOMP							
132	n/a						
<u> </u>				CONDITIONS TO AV			
HAZARDOUS	MAYOCC	MAY OCCUR		N/A			
POLYMERIZATION	WILL NOT	WILL NOT OCCUR					
NFPA RATINGS	(Scale 0-4): H	EALTH=3	FIRE=	O REACTIVI	TTY=0		
	·			R LEAK PROCE	DURES		
Wash spill ar WASTE DISPOSAL MET Wearing suita	HOD ble protective incinerate.	and wat cloth State a	er. ing, collend local l	ect spill wit			
RESPIRATORY PROTEC	TION	//4 VIII - 1	SFECIAL FR	OTEOTION III	ZIMATION		
VENTILATION	N/A LOCAL EXHAUST				SPECIAL		
VENTILATION	If_	If necessary					
}	MECHANICAL				OTHER		
PROTECTIVE GLOVES	YES			EYE PROTECTION	Safety glasses		
OTHER PROTECTIVE EC	DUIPMENT	000000	ry to pres	vent skin con			
				IAL PRECAUTI			
PRECAUTIONS TO BE T				in a record to			
Keep bottles Protect from		i when	not in use	Do not st	ore in direct sunlight.		
OTHER PRECAUTIONS			_				
None							
The information supplied at its accuracy or the results	hove is presented in good faith to be obtained from its use. S	and has been lines condition	derived from source	es believed to be reliable. H d our control all risks are	lowever, no werranty, express or implied is extended regarding assumed by the user-		

SECTION V - HEALTH HAZARD DATA (cont.)

POOLMASTER, INC.



MAILING ADDRESS P.O. BOX 340308, SACRAMENTO, CA 95834-0308

Local (916) 567-9800 Toll Free: (800) 854-1776

PHONE & FAX NUMBERS: New Office & Warehouse: 770 W. DEL PASO ROAD SACRAMENTO, CA 95834-1117

FAX: 916-567-9880

MATERIAL SAFETY DATA SHEET

		SECT	TION I		
MANUFACTURER'S NAME				EMERGENCY TELEPHONE N	10.
POOLMASTER, INC.	916	916-567-9800			
TRADE NAME AND SYNONYMS					
POOLMASTER PHENOL RED					
POOLMASTER SOLUTION #2					
CHEMICAL NAME AND SYNONYMS					
<u>Phenol Red (Phenolsulphon</u> CHEMICAL FAMILY	<u>tna i e</u>	111)	FORMULA	C(C U. A OU).C-1	1. 1.0 51
Organic of Indicator				1C(C6H4-4-0H):C6H	14-4:0-50
SEC	TION II	- HAZAR	DOUS INGRED		
COMPONENT		*	HAZARO DATA		
Phenolsulphonthalein			See Healt	h Hazard(Toxicity	<i>(</i>)
			data below	Ν.	
		i			
	SECTION	ON III - P	HYSICAL DATA		
BOILING POINT (° F.)	2	12	Specific G	ravity (H ₂ O=1)	-1.0
VAPOR PRESSURE (mm Hg.)				·····	1
	<u> 1</u>	7			
VAPOR DENSITY (AIR=1)	Q	. 6			
SOLUBILITY IN WATER	CO	mplete			
APPEARANCE AND ODOR					
Red, water-			on. XPLOSION HAZ	ADD DATA	
A A CLU DOUBLE (Mand and A)			FLAMMABLE LIM	ITC	
NA-Aqueous				NA NA	
extinguishing media f Use extinguishing media f SPECIAL FIRE FIGHTING PROCEDURES	or pr	<u>imary</u>	cause of f	ire.	
NA					
JNUSUAL FIRE AND EXPLOSION HAZARDS				•	
NA					
SE	CTION	/ - HEAL	TH HAZARD DA	TA	
HRESHOLD LIMIT VALUE					
OXICITY				1 1124	
Mutagenic with Ames Test	with	and wi	thout activ	ation.	

immediately. attention if	up PROCEI	her th	nan m	utage	LTH HAZAR		X-V	
Not establish EMERGENCY AND FIRST A Ingestion: Gi immediately. attention if	up PROCEI	oures enty o	· · ·		nic acti	vity.		
EMERGENCY AND FIRST A Ingestion: Gi immediately. attention if	ve pl	oures enty o	· · ·			 .		
Ingestion: Gi immediately. attention if	ve pl	enty c						
Ingestion: Gi immediately. attention if	ve pl	enty c						
immediately. attention if	Fuge .	enty o	_			-		
attention if	Eyes:		of wa	ter t	o djlute	. Cons	ult a physician	
	- J	Flustoms pe	n wit	h wat t. Sk	er for l in: Wash	5 minu with	ites. Get medical soap and water.	
STABILITY					- REACTIVE			
Ľ	UNSTABLE		CONDITIONS TO AVOID			N.A		
-	TABLE			 				
INCOMPATIBILITY			<u> </u>					
	_							
NO TI HAZARDOUS DECOMPOSI	E TION PROD	DUCTS						
Non								
		MAY OCCU	IR.		CONDITI	ONS TO AV	oid None	
HAZARDOUS POLYMERIZATION	ŀ,	WILL NOT	OCCUR	١,	,			
					<u>' </u>	DESCRI	TIME-0	
NFPA RATINGS (S	cale 0	-4): F	TION	/11 - <u>CD</u>	FIRE=0	REACTIVE PROCE		
	. (
Steps to be t	aken	ın ças	e ma	teria	ii is rei	cased	or spiried	
Absorb materi	al wi	th su	tabl	e abs	orbent.			
							,, <u>, , , , , , , , , , , , , , , , , , </u>	
WASTE DISPOSAL METHO					d	4555	with cumpont laws a	n d
Dispose of co ordinances.	ntamii	nated	mate	rial	in accor	uance	with current laws a	
oruinances.								
		SECTIO	N VIII -	SPECIA	AL PROTECT	ION INFO	DRMATION	
RESPIRATORY PROTECTIO		t requ						
	CAL EXHAL			quire			SPECIAL NA	
1	CHANICAL	11.0		quire			OTHER NA	
L		, nc	, , , ,	quire	EYE PRO	ECTION	1	
PROTECTIVE GLOVES		requir	^e d		EYE PHO	ECTION	Not required	
OTHER PROTECTIVE EQUI		None						
			ECTIC	N IX -	SPECIAL PR	ECAUT	ONS	
PRECAUTIONS TO BE TAK	EN IN HAN	OLING AND	OTOPIL	10				
				gntiy	seared	arter	using. Protect from)
extreme heat	anu Ti	1 66711	19.					
OTHER PRECAUTIONS								
None								